

Author Index

- Adams C.E. & Tippet R.: Powan, *Coregonus lavaretus* (L.), ova predation by newly introduced ruffe, *Gymnocephalus cernuus* (L.), in Loch Lomond, Scotland, 239
- Agnès J.F.: Taxonomic status and genetic differentiation among West African populations of the *Chrysichthys auratus* complex (Pisces, Siluriforme), based on protein electrophoresis, 229
- Alam M.J., Cheah S.H. & Ang K.J.: Possible use of *Moina* spp. as a live feed substitute in larval rearing of the freshwater prawn, *Macrobrachium rosenbergii* (de Man), 531
see also Khan M.S.
- Alvárez M.C., see Martínez G.
- Ambak M.A., see Khan M.S.
- Anderson M.J. & Fast A.W.: Temperature and feed rate effects on Chinese catfish, *Clarias fuscus* (Lacepède), growth, 435
- Ang K.J., see Alam M.J.
- Arul V.: Effects of delayed feeding on growth and survival of *Channa striatus* (Bloch) larvae, 423
- Barlow C.G. & Gregg B.A.: Use of circuli spacing on scales to discriminate hatchery and wild barramundi, *Lates calcarifer* (Bloch), 491
- Baynes S.M., see Junadasa J.
- Beacham T.D. & Withler R.E.: Genetic variation in mortality of chinook salmon, *Oncorhynchus tshawytscha* (Walbaum), challenged with high water temperatures, 125
- Beard T.W., see Wickins J.F.
- Beveridge M.C.M., see Dewan D.
- Bruhn D.S., see Kindschi G.A.
- Camargo J.A.: Ecotoxicological analysis of the influence of an industrial effluent on fish populations in a regulated stream, 509
- Chakrabarti R. & Jana B.B.: Growth induction of common carp, *Cyprinus carpio* L., fry as a function of plankton density and improved water quality, 295
- Champigneulle A., see Rojas Beltran R.
- Chan J.R., see Smith S.J.
- Charles A.T., see Coffen S.S.
- Cheah S.H., see Alam M.J.
- Chen J.-C. & Tu C.-C.: Influence of ammonia on growth of *Penaues monodon* (Fabricius) post-larvae, 457
see also Kou Y.-Z.
- Christiansen J.S., see Jorgensen E.H.
- Chu K.H.: Larval rearing of the shrimps *Metapenaues ensis* (de Haan) and *Penaues chinensis* (Osbeck) on artificial feed, 473
- Clarkson R. & Lane S.D.: Use of small-scale nutrient-film hydroponic technique to reduce mineral accumulation in aquarium water, 37
- Clinton E.M.F., see Dawson F.H.
- Coffen S.S. & Charles A.T.: Production economics of shellfish aquaculture in Atlantic Canada: a preliminary analysis, 193
- Cornelis P., see Tacon A.G.J.
- Cross T.F., see Culloty S.C.
- Culloty S.C., Cross T.F. & O'Halloran J.S.: Comparison of two methods of haemoglobin measurement in rainbow trout, *Onchorhynchus mykiss* (Walbaum), 397
- Daoudi M., see Shafee M.S.
- Dawson F.H., Clinton E.M.F. & Ladle M.: Invertebrates on cut weed removed during weed-cutting operations along an English river, the River Frome, Dorset, 113
- De Silva S.S., Zhitang Yu & Lin-Hu Xiang: A brief review of the status and practices of the reservoir fishery in mainland China, 73
- Degani G. & Revach A.: Digestive capabilities of three commensal fish species: carp, *Cyprinus carpio* L., tilapia, *Oreochromis aureus* × *O. niloticus*, and African catfish, *Clarias gariepinus* (Burchell 1822), 397
- Dewan D., Wahab M.A., Beveridge M.C.M., Rahman M.H. & Sarkar B.K.: Food selection, electivity and dietary overlap among planktivorous Chinese and Indian major carp fry and fingerlings grown in extensively managed, rain-fed ponds in Bangladesh, 277
- Dostatni D. & Luczynski M.: Duration of eleutheroembryonic phase of *Coregonus albula* (L.) larvae reared at different constant and variable temperatures, 19
- Edsall D.A. & Smith C.E.: Oxygen-induced gas bubble disease in rainbow trout, *Oncorhynchus mykiss* (Walbaum), 135
- Ernst D.H., see Smith S.J.
- Fast A.W., see Anderson M.J.
- Friars G.W., see Herbinger C.M.
- Gregg B.A., see Barlow C.G.
- Gustafson-Greenwood K.I. & Moring J.R.: Gravel compaction and permeabilities in redds of Atlantic salmon, *Salmo salar* L., 537
- Hansen L.P. & Jonsson B.: Effect of smolt age on migratory behaviour of Baltic salmon, *Salmo salar* L., transplanted to the east Atlantic, 357
see also Hesthagen T.
see also Lund R.A.
- Har C.H.: Effects of eyestalk ablation, thoracic ganglion extract and gonad extract from 'spent spawners' on ovarian maturation in pond-reared shrimps, *Penaues monodon* Fabricius, 463

- Haylor G.S.: Controlled hatchery production of *Clarias gariepinus* (Burchell 1822): growth and survival of fry at high stocking density, 405
- Haylor G.S. & Pascual A.B.: Effect of using ram testis in a fry diet for *Oreochromis niloticus* (L.) on growth, survival and resultant phenotypic sex ratio, 265
- Heinsbroek L.T.N.: A review of eel culture in Japan and Europe, 57
see also Kamstra A.
- Herbinger C.M. & Friars G.W.: Correlation between condition factor and total lipid content in Atlantic salmon, *Salmo salar* L., parr, 527
- Hesthagen T. & Hansen L.P.: Estimate of the annual loss of Atlantic salmon, *Salmo salar* L., in Norway due to acidification, 85
- Hopkins K.D., see Szyper J.P.
- Howell B.R., see Jinadasa J.
- Iwai T., see Khan M.S.
- Jana B.B., see Chakrabarti R.
- Jee A.K. & Kok L.Y.: Fecundity changes in *Machrobrachium rosenbergii* (de Man) during egg incubation, 1
- Jinadasa J., Howell B.R. & Baynes S.M.: Preliminary experiments on the development of extensive culture methods for juvenile sole, *Solea solea* (L.), 25
- Jobling M., see Jorgensen E.H.
- Johnston P.M., see Kennedy G.J.A.
- Jonsson B., see Hansen L.P.
- Jorgensen E.H., Jobling M. & Christiansen J.S.: Metabolic requirements of Arctic charr, *Salvelinus alpinus* (L.), under hatchery conditions, 377
- Kamstra A. & Heinsbroek L.T.N.: Effects of attractants on start of feeding of glass eel, *Anguilla anguilla* L., 47
- Kandari M., see Tacon A.G.J.
- Kashiwagi M., see Khan M.S.
- Kennedy G.J.A., Strange C.D. & Johnston P.M.: Evaluation of Carlin tagging as a mark-recapture technique for estimating total river runs of salmon smolts, *Salmo salar* L., 363
- Khan M.S., Ambak M.A., Ang K.H. & Mohsin A.K.M.: Length-weight relationship and relative condition of a Malaysian freshwater catfish, *Mystus nemurus* Cuvier & Valenciennes, in Chenderoh Reservoir, 373
- Khan M.S., Zakaria M.S., Ambak M.A., Alam M.J., Kashiwagi M. & Iwai T.: Effect of temperature on the hatching success of the eggs of Japanese whiting, *Sillago japonica* Temminck & Schlegel, during the spawning season, 317
- Kindschi G.A., Shaw H.T. & Bruhn D.A.: Effects of baffles and isolation on dorsal fin erosion in steelhead trout, *Oncorhynchus mykiss* (Walbaum), 343
- Knaub R.S., see Tidwell J.H.
- Kok L.Y., see Jee A.K.
- Kou Y.-Z. & Chen J.-C.: Acute toxicity of ammonia to *Penaeus japonicus* Bate juveniles, 259
- Kusemiju K., see Onadeko C.A.
- Kwei Lin C., see Szyper J.P.
- L'Abée-Lund J.H. & Sagrov H.: Resource use, growth and effects of stocking in alpine brown trout, *Salmo trutta* L., 519
- Ladle M., see Dawson F.H.
- Lane S.D., see Clarkson R.
- Lin H.X., see De Silva S.S.
- Luczynski M., see Dostatni D.
- Lund R.A. & Hansen L.P.: Identification of wild and reared Atlantic salmon, *Salmo salar* L., using scale characters, 499
- McAndrew B.J., see Martínez G.
see also Wohlfarth G.W.
- McEwen I., see Martínez G.
- Martínez G., McEwen I., McAndrew B.J. & Álvarez M.C.: Electrophoretic analysis of protein variation in two Spanish populations of the European seabass, *Dicentrarchus labrax* L. (Pisces, Moronidae), 443
- Martínez-Palacios C.A., see Rodríguez Gil L.A.
- Mims S.D., see Webster C.D.
- Mohsin A.K.M., see Khan M.S.
- Moring J.R., see Gustafson-Greenwood K.I.
- Nagy A., see Wohlfarth G.W.
- Ogawa J., see Rodríguez Gil L.A.
- O'Halloran J., see Culloty S.C.
- Olla B.L., see Smith S.J.
- Onadeko C.A. & Kusemiju K.: Effect of salinity on growth and survival of sleeper goby, *Batanga lebretonis* (Steindachner) (Pisces: Eleotridae), 323
- Orbe A., see Rivera López H.
- Pascual A.B., see Haylor G.S.
- Pawson M.G.: Comparison of the performance of brown trout, *Salmo trutta* L., and rainbow trout, *Oncorhynchus mykiss* (Walbaum), in a put-and-take fishery, 237
- Pawson M.G. & Purdom C.E.: Influence of pre-stocking feeding levels on catchability of rainbow trout, *Oncorhynchus mykiss* (Walbaum), in a small fishery, 105
- Pieters H., see De Boer J.
- Purdom C.E., see Pawson M.G.
- Raat A.J.P.: Production, growth, condition and angling vulnerability of zander, *Stizostedion lucioperca* (L.), in relation to the availability of prey fish in ponds, 93
- Rahman M.H., see Dewan D.
- Rausin N., see Tacon A.G.J.
- Revach A., see Degani C.
- Rezk M., see Tave D.
- Rivera López H., Orbe Mendoza A. & Ross L.G.: Use of xylocaine, potentiated with sodium bicarbonate, as an anaesthetic for fry and juveniles of acumara, *Algansea lacustris* Steindachner 1895, from Lake Patzcuaro, Michoacan, Mexico, 15
- Rodríguez Gil L.A., Ogawa J. & Martínez-Palacios C.A.: Hatching of the queen conch, *Strombus gigas* L., based on early life studies, 7

- Rojas Beltran R. & Champigneulle A.: New hope of reducing the costs of mass rearing whitefish, *Coregonus lavaretus* L., larvae on a dry diet, 369
- Ross L.G., see Rivera López H.
- Sægrov H., see L'Abée-Lund J.H.
- Sarkar B.K., see Dewan D.
- Shafee M.S. & Daoudi M.: Gametogenesis and spawning in the carpet-shell clam, *Ruditapes decussatus* (L.) (Mollusca: Bivalvia), from the Atlantic coast of Morocco, 203
- Shaw H.T., see Kindschi G.A.
- Shitang Yu., see De Silva S.S.
- Smith C.E., see Edsall D.A.
- Smith S.J., Watanabe W.O., Chan J.R., Ernst D.H., Wicklund R.I. & Olla B.L.: Hatchery production of Florida red tilapia seed in brackishwater tanks: the influence of broodstock age, 141
- Smitherman R.O., see Tave D.
- Strange C.D., see Kennedy G.J.A.
- Szyper J.P., Hopkins K.D. & Kwei Lin C.: Production of *Oreochromis niloticus* (L.) and ecosystem dynamics in manured ponds of three depths, 385
- Tacon A.G.J., Rausin N., Kadari M. & Cornelis P.: The food and feeding of tropical marine fishes in floating net cages: Asian seabass, *Lates calcarifer* (Bloch), and brown-spotted grouper, *Epinephelus tauvina* (Forsk.) 165
- Tacon A.G.J., Rausin N., Kadari M. & Cornelis P.: Use of night-lights to attract food organisms into tropical marine fish cages, 183
- Taege M., see Udo P.J.
- Tave D., Rezk M. & Smitherman R.O.: Effect of body colour of *Oreochromis mossambicus* (Peters) on predation by largemouth bass, *Micropterus salmoides* (Lacépède), 149
- Tidwell J.H., Webster C.D. & Knaub R.S.: Seasonal production of rainbow trout, *Oncorhynchus mykiss* (Walbaum), in ponds using different feeding practices, 335
see also Webster C.D.
- Tippett R., see Adams C.E.
- Tu C.-C., see Chen J.-C.
- Udo P.J. & Taege M.: Respiratory responses of the crustacean *Macrobrachium vollenhovenii* (Herklots, 1857) to various salinities, 351
- Varvarigos P.: Production planning and the management of information on fish farms: results of a UK survey, 217
- Wahab M.A., see Dewan D.
- Watanabe W.O., see Smith S.J.
- Webster C.D., Mims S.D., Tidwell J.H. & Yancey D.H.: Comparison of live food organisms and prepared diets as first food for paddlefish, *Polyodon spathula* (Walbaum), fry, 155
see Tidwell J.H.
- Wickins J.F. & Beard T.W.: Variability in size at moult among individual broods of cultured juvenile lobsters, *Homarus gammarus* (L.), 481
- Wicklund R.I., see Smith S.J.
- Withler R.E., see Beacham T.D.
- Wohlfarth G.W., Nagy A. & McAndrew B.J.: A mistaken method for correcting potential bias in genetic testing of common carp, *Cyprinus carpio* L., and tilapias, *Oreochromis* spp., 309
- Yancey D.H., see Webster C.D.
- Zakaria M.S., see Khan M.S.

Subject Index

- Acidification, salmon loss, 85**
- Age:**
- broodstock production, 141
 - smolt, migratory behaviour, 357
- Ammonia:**
- growth, shrimp, 457
 - toxicity, shrimp, 259
- Angling, vulnerability, zander, 93**
- Anguilla anguilla*, see eel**
- Aquaculture, shellfish, 193**
- Attractants:**
- eel feeding, 47
 - live food, 183
- Baffles, dorsal fin erosion, trout, 343**
- Barramundi, circuli spacing on scales, 491**
- Bass, largemouth, predation on tilapia, 149**
- Batanga lebretonis*, see goby, sleeper**
- Behaviour, migratory, smolt, 357**
- Bias, genetic testing, carp, 309**
- Biphenyl, polychlorinated, accumulation, eel, 329**
- Book reviews:**
- Aquaculture in Asia*. Edited by M. Mohan Joseph, 541
 - Aquaculture in Taiwan*. By L.-C. Chen, 541
 - Aquaculture Vol. 1 and Aquaculture Vol. 2*. Edited by G. Barnabe. Translated by L. Laird, 541
 - Biology, Epidemiology and Management of Pyrodinium Red Tides*. Edited by G.M. Halle-Graeff & J.L. Maclean, 123
 - Control of Fish Quality*. By J.J. Connell, 547
 - Developments in Electric Fishing: Proceedings of an International Symposium on Fishing with Electricity*. Edited by I.G. Cowx, 274
 - Dynamic Geography of Marine Fish Populations*. By A.D. McCall, 274
 - Fish Facts: An Illustrated Guide to Commercial Species*. By R.W.A. Rodger, 275
 - Fish Pathology*. Edited by R.J. Roberts, 544
 - Fishing with Electricity: Applications in Freshwater Fisheries Management*. Edited by I.G. Cowx & P. Lamarque, 548
 - Genetics in Aquaculture III. Proceedings of the Third International Symposium on Genetics in Aquaculture. Held at Trondheim, Norway, 20-24 June 1988*. Edited by T. Gjerdem, 545
 - Inland Aquaculture Development Handbook*. By D.R. Blakely & C.T. Hrusa, 272
 - Marketing: A Practical Guide for Fish Farmers*. By S.A. Shaw, 269
 - Morphological Bases of the Systematics and Phylogeny of the Nototheniid Fishes*. By A.V. Balushkin, 273
 - Multilingual Dictionary of Fish and Fish Products*. OECD, 123
 - Physiology and Form of Fish Circulation*. By G.H. Satchell, 547
 - Principles of Fish Nutrition*. By W. Steffens, 123
 - Production of Aquatic Animals: Crustaceans, Molluscs, Amphibians and Reptiles*. Edited by C.E. Nash, 542
 - Techniques in Fish Immunology*. Edited by J.S. Stolen, T.C. Fletcher, D.P. Anderson, B.S. Robertson & W.B. van Muiswinkel, 545
 - The Economics of Salmon Aquaculture*. By T. Bjørndal, 269
 - The First Indian Fisheries Forum, Proceedings*. Edited by M.M. Joseph, 270
 - The Law of Game, Salmon and Freshwater Fishing in Scotland*. By S.S. Robinson, 272
 - The Peruvian Upwelling Ecosystem: Dynamics and Interactions*. Edited by D. Pauly, P. Muck, J. Mendo & J. Tsukayama, 269
 - The Seafood Industry*. Edited by R.E. Martin & G.J. Flick, 545
- Brackishwater, tanks, tilapia, 141**
- Cages:**
- net, floating, marine, 165
 - night-lights, attracting food, 183
- Carlin, tagging, salmon smolt, 363**
- Carp:**
- digestive capabilities, 397
 - food selection, 277
 - genetic testing, 309
 - growth, induction, 295
- Catchability:**
- relative, 247
 - trout, brown, 247
 - trout, rainbow, 105, 247
- Catfish:**
- digestive capability, 397
 - fry production, 405
 - growth, 435
 - length-weight relationships, 373
- Channa striatus*, growth, 324**
- Charr, Arctic, metabolic requirements, 377**
- Chrysichthys auratus*, taxonomy, 229**
- Circuli, spacing on scales, barramundi, 491**
- Clam, carpet-shell, gametogenesis, spawning, 203**
- Clarius* spp. see catfish, 405**
- Colour, body, tilapia predation, 149**
- Commensal, fish, digestive capabilities, 397**
- Compaction, gravel, salmon redds, 537**
- Conch, queen, hatching, 7**
- Condition:**
- catfish, 373
 - factor, salmon parr, 527
 - zander, 93
- Consumption, eel, Japan and Europe, 57**
- Coregonus albula*, embryo development, 19**
- Coregonus lavaretus*, see powan and whitefish**
- Cost, whitefish rearing, 369**
- Culture:**
- eel, Japan and Europe, 57
 - methods, sole, 25
- Cyprinus carpio*, see carp**

- Density, stocking, *Clarias gariepinus*, 405
- Development:
 culture methods, sole, 25
 queen conch, 7
- Dicentrarchus labrax*, see seabass
- Diet:
 carp, prey selectivity, 277
 eel, pesticide accumulation, 329
 paddlefish, live, 155
 tilapia fry, 265
 trout, pelleted, 105
 whitefish, larvae, 369
- Digestion, capabilities, commensal species, 397
- Disease, gas bubble, trout, 135
- Dorsal, fin erosion, trout, 343
- Dynamics, ecosystem, manured ponds, 385
- Economics, shellfish culture, 193
- Ecosystem, manured pond, 385
- Eel:
 culture, Japan and Europe, 37
 feeding attractants, 47
 pesticide accumulation, 329
- Effluent, industrial, toxicity, 509
- Egg:
 hatching success, whiting, 317
 incubation, prawn, 1
- Electrophoresis, protein:
Chrysichthys taxonomy, 229
 seabass, 433
- Embryo, development at different temperatures, 19
- Epinephelus tauvina*, see grouper, brown-spotted
- Estimation, salmon river runs, 363
- Eyestalk, ablation, ovarian maturation, 463
- Fecundity, shrimp, 1
- Feeding:
 carp fry, preference, 277
Channa striatus, 423
 eel, attractants, 47
 grouper, caged, 165
 practices, production, 335
 rate effects, catfish, 435
 seabass, caged, 165
 trout, pellets, 105
- Fin, dorsal, erosion, trout, 343
- Fishery, practices, reservoir, 73
- Food:
 artificial, shrimp larvae, 473
 attraction, light, 183
 grouper, caged, 165
Moina spp., live feed, larval prawn, 531
 paddlefish, live feed, 155
 seabass, caged, 165
 selection, carp fry, 277
 tilapia fry, ram testis, 265
- Fry:
 carp, food selection, 277
Clarias gariepinus, survival, 405
 paddlefish, live food, 155
 tilapia, growth, diet, 265
- Gametogenesis, clam, 203
- Ganglion, extract, ovarian maturation, shrimp, 463
- Genetic:
 differentiation, *Chrysichthys*, 229
 testing, bias, carp, 309
 variation, chinook salmon, 125
- Goby, sleeper, growth, 323
- Gonad, extract, ovarian maturation, shrimp, 463
- Gravel, compaction, salmon redds, 537
- Grouper, brown-spotted, food, feeding, 165
- Growth:
 carp fry, 295
 catfish, 405, 435
Channa striatus, 423
 goby, 323
 shrimp, 457
 tilapia, fry, 265
 trout, brown, 519; rainbow, 105
 zander, 93
- Gymnocephalus cernuus*, see ruffe
- Haemoglobin, measurement, trout, 379
- Hatchery, production:
 Arctic charr, 377
 tilapia, 141
- Hatching:
 queen conch, 7
 whiting, Japanese, 317
- Homarus gammarus*, see lobster
- Hydroponic, nutrient-film, 37
- Identification, salmon scale characters, 499
- Incubation, egg, prawn, 1
- Invertebrate, removal, weed-cutting, 113
- Larvae:
Channa striatus, growth, 423
Coregonus albus, eleutheroembryonic phase, 19
 growth, shrimp, 457, 473
 live feed, prawn, 531
 rearing costs, whitefish, 369
- Lates calcarifer*, see seabass and barramundi
- Length-weight relationships, catfish, 373
- Lights, night, attracting food to cages, 183
- Lipid, content, salmon parr, 527
- Loose, size at moult, 481
- Macrobrachium rosenbergii*, see prawn
- Macrobrachium volentieri*, see shrimp
- Management, information, fish farms, 217
- Measurement, haemoglobin, trout, 379
- Mercury, accumulation, eels, 329
- Metabolism, Arctic charr in hatchery, 377
- Metapenaeus ensis*, see shrimp
- Methods, culture, sole, 25
- Micropterus salmoides*, see bass, largemouth
- Migration, behaviour, smolt, 357
- Mineral, accumulation in aquarium, 37
- Moina* spp., live feed, larval prawn, 531
- Mortality, genetic variation, salmon, 125
- Moult, lobster, size at, 481
- Myxus nemurus*, see catfish
- Nutrient, film, hydroponics, 37
- Oncorhynchus mykiss*, see trout, rainbow

Oncorhynchus tshawytscha, see salmon, chinook
Oreochromis spp., see tilapia
 Ova, predation, powan, 239
 Ovary, maturation, shrimp, 463
 Oxygen, induced gas bubble disease, 135

Paddlefish, diet, live food, 155
 PCB, accumulation, eel, 329
Penaeus spp., see shrimp
 Performance, trout, 247
 Permeability, gravel, salmon rearing, 537
 Pesticides, chlorinated, 329

Plankton:
 density, carp fry growth, 295
 selection, carp fry, 27
 Planning, production, management, 217
Polyodon spathula, see paddlefish

Populations:
 ecotoxicological analysis, 509
 genetic, *Chrysichthys* spp., 29
 protein variation, seabass, 433

Powan, ova predation by ruffe, 239
 Practices, reservoir fisheries, 73

Prawn:
 fecundity, 1
 live feed, 531

Predation:
 powan, ova, 239
 tilapia, 149

Production:
 Clarias gariepinus, 405
 economics, shellfish, 193
 eel, Japan and Europe, 57
 information management, 217
 planning, 217
 salmon losses, 85
 tilapia, 141, 385
 trout, rainbow, 335
 zander, 93

Protein, electrophoresis:
 Chrysichthys, 229
 seabass, 443

Redd, gravel character, salmon rearing, 537
 Reservoir, fishery practices, 73
 Respiratory, response to salinity, crustacean, 351
Ruditapes decussatus, see clam, carpet-shell
 Ruffe, ova predation on powan, 239

Salinity:
 crustacean respiratory response, 351
 goby growth, 323

Salmo salar, see salmon, Atlantic
Salmo trutta, see trout, brown

Salmon:
 Atlantic:
 condition factor, 527
 estimating river runs, 363
 losses from acidification, 85
 redd characteristics, 537
 scale characters, 499
 Baltic:
 smolt migratory behaviour, 357

Chinook:
 mortality, high water temperatures, 125

Salvelinus alpinus, see charr, Arctic

Scale:
 characters, salmon, 499
 circuli, barramundi, 491

Seabass:
 food, feeding, 165
 protein variation, 443

Sex, ratio, tilapia fry, 265

Shellfish, production economics, 193

Shrimp:
 ammonia toxicity, 259
 ovarian maturation, 463
 post-larval growth, 457
 respiratory responses to salinity, 351

Sillago japonica, see whiting, Japanese

Size, moulting, lobster, 481

Sole, culture methods, 25

Solea solea, see sole

Spawning, clam, 203

Stizostedion lucioperca, see zander

Stocking, trout, alpine, 519

Strombus gigas, see conch, queen, 7

Survival:
 Channa striatus, 423
 Clarias gariepinus, 405
 goby, growth, 323
 tilapia, diet, 265

Tagging, Carlin, salmon smolt, 363

Tanks, brackishwater, tilapia, 141

Taxonomy, *Chrysichthys* populations, 229

Temperature:
 embryonic phase variation, 19
 feed rate, catfish, 435
 hatching success, whiting, 317
 salmon mortality, 125

Tilapia:
 body colour, predation, 149
 digestive capability, 397
 genetic testing bias, 309
 hatchery production, 141
 production, manured ponds, 385

Toxicity:
 ammonia, shrimp, 259
 industrial effluent, 509

Trout:
 brown:
 growth, stocking, 519
 performance, 247
 rainbow:
 feeding levels, 105
 gas bubble disease, 135
 haemoglobin measurement, 379
 nutrients, 37
 performance, 247
 production, 335
 steelhead:
 dorsal fin erosion, 343

Variation:
 genetic, salmon, 125
 size at moult, lobster, 481

Vulnerability, angling, zander, 93

Water:

- mineral accumulation, 37
- quality, carp fry growth, 295

Weed-cutting, invertebrate removal, 113

Weight:

- body, prawn, 1
- length relationships, catfish, 373

Whitefish, costs of rearing larvae, 369

Whiting, Japanese, hatching success, 317

Zander, production, 93